3. Generator's Name and Mailing Address	01015 91110	1115	A. Sta	of] ite Manifes		· ·	by Federal law.
Douglas Aircraft Company Attn: R. Tuell	M/S C6-10			· · · · · · · · · · · · · · · · · · ·	394	78	334
19503 S. Normandie Avenue, Torrance, CA 9	0502	4	B. Sta	ite General	or's ID		
14. Generator's Phone (213 783-5928 or 213-533-7231	EPA ID Number	10 Las					5 6 0 0
	5 8 0 1 8 3	حداما		ite Transpo insporter's	41 25 1 3		<u> 67.70 </u>
7. Transporter 2 Company Name 8. US	EPA ID Number	1617		te Transpo	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	213-	268-3137
			F. Tra	nsporter's	Phone		
9. Designated Facility Name and Site Address 10. US Chem-Tech Systems, Inc.	EPA ID Number		G. Ste	ite Facility	a ID		
3650 E. 26th Street			H. Fac	ility's Pho	<u> </u>	<u> </u>	
Vernon, CA 90023	81010131316	IQII	21	3-260-	2207	r Ha	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID	1	2. Conta		13. To		14. Unit	l. Waste
11. US DOT Description (including Proper Shipping Name, Plazard Glass, and ib	Number)	No.	Туре	40.		Wt/Vo	
Non-RCRA, Hazardous Waste Liquid							State 223
(Machine Coolant Oil)	0	וו חו	TIT	020	MA/	G	EPA/Other N/R
b.	- 0	10 1 1	1 1.1.	UNC	100	G	State State
							EPA/Other
		ш					
C.							State
							EPA/Other
d.	,		_1_				State
1							EPA/Other
J. Additional Descriptions for Materials Listed Above a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100%			K. Ha a.	indling Cod	es for W	astes L b. d.	isted Above
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case Of Accident Contact Chemitres as	t 800-424-93	300	e. C.	iot wa	sh i	d.	isted Above
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case Of Accident Contact Chemtrec as waterway. Do not breathe vapors. If unit	able to deli	iver.	a. Do n	ot wa	sh i	d.	isted Above
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case Of Accident Contact Chemtrec awaterway. Do not breathe vapors. If units approximate.	t 800-424-93 able to de)	iver.	a. Do n	ot wa	sh i	d.	isted Above
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case of Accident Contact Chemtrec a: waterway. Do not breathe vapors. If units approximate. 16. Generator's Certification: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in pational government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable met present and future threat to human health and the environment; OR, if I am a	able to de	y and ac ansport b d toxicity age, or c ator, I ha	Do ret	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or cor. Volu
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case Of Accident Contact Chemtrec a: waterway. Do not breathe vapors. If units approximate. 18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in prational government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable met present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available	s consignment are fully proper condition for tra- reduce the volume and hod of treatment, stora a small quantity generato me and that I can a	y and ac ansport b d toxicity age, or c ator, I ha	Do ret	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or cor. Volumer shipping name international are at have determine which minimizes nimize my waste
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case Of Accident Contact Chemtrec at waterway. Do not breathe vapors. If units approximate. 18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in pnational government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable met present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available Printed/Typed Name	s consignment are fully proper condition for tra- reduce the volume and hod of treatment, stora a small quantity generato me and that I can a	y and ac ansport b d toxicity age, or c ator, I ha	Do ret	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or cor. Volumer shipping name of international are shipping manual at have determined by the control of t
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case Of Accident Contact Chemtrec a: waterway. Do not breathe vapors. If units approximate. 18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in prational government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable met present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available	s consignment are fully proper condition for tra- reduce the volume and hod of treatment, stora a small quantity generato me and that I can a	y and ac ansport b d toxicity age, or c ator, I ha	Do ret	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or cor. Volumer shipping name international are at have determine which minimizes nimize my waste
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case Of Accident Contact Chemitrec at waterway. Do not breathe vapors. If units approximate. 18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in pational government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable met present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available Printed/Typed Name Robert G. Tuella Tr.	able to deliberate to deliberate to deliberate to deliberate the volume and thod of treatment, storia small quantity generate me and that I can a stature	y and ac ansport b d toxicity age, or c ator, I ha	Do ret	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or Cor. Volumer shipping name international are which minimizes shimize my waste Month Day
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case of Accident Contact Chemtrec at waterway. Do not breathe vapors. If units approximate. 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in punctional government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable met present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available Printed/Typed Name Signa Robert 7. Tuell 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Signa Printed/Typed Name Signa Signa Printed/Typed Name Signa Signa	able to deliberate to deliberate to deliberate to deliberate the volume and thod of treatment, storia a small quantity generate me and that I can a stature	y and ac ansport b d toxicity age, or c ator, I ha	Do ret	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or Cor. Volumer shipping name international are which minimizes shimize my waste Month Day
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case Of Accident Contact Chemtrec at waterway. Do not breathe vapors. If units approximate. 18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in pnational government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable met present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available Printed/Typed Name Signa Printed/Typed Name Signa	s consignment are fully broper condition for transcribed as small quantity generation me and that I can stature	y and ac ansport b d toxicity age, or c ator, I ha	Do not not not not not not not not not no	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or cor. Volumer shipping name international are internationa
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case of Accident Contact Chemtrec at waterway. Do not breathe vapors. If units approximate. 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in punctional government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable met present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available Printed/Typed Name Signa Robert 7. Tuell 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Signa Printed/Typed Name Signa Signa Printed/Typed Name Signa Signa	s consignment are fully broper condition for transcribed as small quantity generation me and that I can stature	y and ac ansport b d toxicity age, or c ator, I ha	Do not not not not not not not not not no	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or cor. Volumer shipping name international are internationa
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case Of Accident Contact Chemtrec at waterway. Do not breathe vapors. If units approximate. 18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in pnational government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable met present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available Printed/Typed Name Signa Printed/Typed Name Signa	s consignment are fully broper condition for transcribed as small quantity generation me and that I can stature	y and ac ansport b d toxicity age, or c ator, I ha	Do not not not not not not not not not no	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or cor. Volumer shipping name international are internationa
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case of Accident Contact Chemitrec at waterway. Do not breathe vapors. If units approximate. 18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in pational government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable meti present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available. Printed/Typed Name Signa Printed/Typed Name Signa Printed/Typed Name Signa Printed/Typed Name Signa Signa Printed/Typed Name Signa Signa Signa	s consignment are fully broper condition for transcription of treatment, story a small quantity generato me and that I can a sturre	y and ac ansport b d toxicity age, or c ator, I ha	Do not not not not not not not not not no	ot wa: curn to described vay accordi	sh in ger	d. ito : neral	Sewer or cor. Volumer shipping name international are internationa
a) Tank 39T - Machine coolant oil Synthetic oils 0-8% Tramp oils 0-15% Water 72-100% 15. Special Handling Instructions and Additional Information In case of Accident Contact Chemtrec at waterway. Do not breathe vapors. If units approximate. 18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this and are classified, packed, marked, and labeled, and are in all respects in pational government regulations. If I am a large quantity generator, I certify that I have a program in place to to be economically practicable and that I have selected the practicable meti present and future threat to human health and the environment; OR, if I am a generation and select the best waste management method that is available Printed/Typed Name Signa Printed/Typed Name Signa 19. Discrepancy Indication Space	s consignment are fully broper condition for transcription of treatment, story a small quantity generate on me and that I can sture	y and accansport be detected age, or cator, I hadriford.	Do ret	dot waturn to	sh in o ger above I above I ng to ap	d. ito : neral	Sewer or cor. Volumer shipping name international are internationa

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RE

CERTIFICATE OF TREATMENT/RECYCLING

ISSUED TO

DOUGLAS ATRERAFT COMPANY

FOR

MANIFEST NUMBER 89479334

DATE RECEIVED JANUARY 31, 1991

The aqueous waste received on the above manifest will be treated to standards mandated by the FEDERAL CLEAN WATER ACT and to effluent requirements established by the Sanitation Districts of Lios Angeles County. Waste treatment and recycling is performed under permits granted to CHEM-TECH SYSTEMS, INC., a California corporation, by the California Department of Health Services, in coordination with the Environmental Protection Agency, in accordance with the provisions of the Resource Conservation and Recovery Act (RCRA) of 1976, together with applicable federal and state regulations including but not limited to waste discharge requirements established by the Sanitation Districts of Lios Angeles County.

When the above described material is accepted by CHEM-TECH SYSTEMS, INC. and treated/recycled and the aqueous phase discharged for further treatment by the Sanitation Districts, the certificate holder's responsibility for the material is eliminated under both RCRA and Proposition 65. Upon request, CHEM-TECH SYSTEMS, INC. will issue this certificate that all material has been handled in accordance with applicable permits, and the certificate holder's liability has been terminated.



CHRM-TECH SYSTEMS, INC.
a commitment to a clean environment

JANUARY 31, 1991

DATE

PLANT MANAGER

3650 EAST 26th STREET • VERNON, CALIFORNIA 90023 (213) 268-5056 • FAX: (213) 268-9672 89479334
NSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RI

1	UNIFORM H	AANIESS	1. Generator's		1 r	Manifest Occument No		Page 1	Inform	nation in	the shaded a
[3. Generator's Name	MANIFEST	CIAIDIOL	816151110	<u>ນ </u>	LILOI 11	5	of 1	is not	require	d by Federal I
	Douglas Air	rcraft Compa	any Attn:	R. Tuell	M/S C6-		A. S	tate Manife	894	179	1334
	 Generator's Phone Transporter 1 Comp 	`	28 or 213	-533-7231							ام ام ام ا
	- Thypponor I com	_{Pany Name} <u>Pmental Serv</u>		6. US	EPA ID Numbe		C. S	tate Transp	porter's I	5 //	6935
	7. Transporter 2 Comp	pany Name	ices	ICIAIDIO 8. IIS	5 8 0 1 1 EPA ID Number	8 3 6	7 D. Tr	ansporter'		213-	268-313
				1		" 		ate Transp ansporter's		D	
	9. Designated Facility Chem-Tech	Name and Site Addre Systems, In	988	10. US	EPA ID Numbe	er		ate Facilit		-	<u></u>
	3650 E. 26 Vernon, CA	th Street					1	 ncility's Pho	one		
				IC IA IT IO			21 ntainers	3-268-			
	11. US DOT Description.		· · · · · · · · · · · · · · · · · · ·		Number)	No.	Type	13. To	otal lantity	14. Unit Wt/Vo	Wast State
3	Non-RCRA,	Hazardous W	aste Liqui	d							223
<u> </u>		oolant 011)				01011	TIT	020	300	G	EPA/Other N/R
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \									.1 -1 -		State
											EPA/Other
•							┼-└-		_ل_	 	State
1								1			
									1.1		EPA/Other
	•			•							State
						1	į .				
J.	Tramp oil	- Machine c : oils 0-8% 8 0-15%	Above				K. Ha a.	ndling Cod	L L	astes Li b. d.	EPA/Other
	a) Tank 39T Synthetic Tramp oil Water 72-	- Machine c oils 0-8% s 0-15% 100%	oolant oil				a. C.			b. d.	isted Above
	a) Tank 39T Synthetic Tramp oil Water 72- D. Special Handling Ins In case 0	- Machine c oils 0-8% s 0-15% 100% structions and Addition	oolant oil	Demt noo al	TO IS TO U	ej iver,	Do n	ot was		b. d.	isted Above
	a) Tank 39T Synthetic Tramp oil Water 72- D. Special Handling Ins In case 0 Waterway. is approx	- Machine c oils 0-8% s 0-15% 100%	oolant oil	Demt noo al	TO IS TO U	-9300. e) iver	Do n	ot was		b. d.	isted Above
15	a) Tank 39T Synthetic Tramp oil Water 72- 5. Special Handling Ins In case 0 Waterway. is approx GENERATOR'S CEI and are classified, pational government if I am a large quant to be economically present and future to	- Machine c oils 0-8% 0-15% 100% bructions and Addition F ACCIDENT Do not bred imate. RTIFICATION: I here backed, marked, and it regulations. ity generator, I certify practicable and that I hereat to human health	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog-	nemtrec at s. If una	consignment arroper condition f	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat	ewer or or. Volt
16	Synthetic Tramp oil Water 72- Special Handling Ins In case 0 Waterway. is approx GENERATOR'S CEI and are classified, pational government to be economically present and future ti generation and select	- Machine c oils 0-8% s 0-15% 100% structions and Addition F ACCIDENT Do not bred imate. RTIFICATION: I here backed, marked, and it regulations.	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog-	e contents of this all respects in program in place to repracticable methent; OR, if I am a that is available to	consignment are oper condition for the volume od of treatment, small quantity go me and that it	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat	ewer or or Vol
16 16	Synthetic Tramp oil Water 72- D. Special Handling Ins In case 0 Waterway. is approx GENERATOR'S CEI and are classified, pational government If I am a large quant to be economically present and future to generation and select mted/Typed Name	- Machine c oils 0-8% 0-15% 100% bructions and Addition F ACCIDENT Do not bred imate. RTIFICATION: I here backed, marked, and it regulations. ity generator, I certify practicable and that I hereat to human health	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog-	nemtrec at s. If una	consignment are oper condition for the volume od of treatment, small quantity go me and that it	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat	ewer or or. Volt
16 18	Synthetic Tramp oil Water 72- Special Handling Ins In case 0 Waterway. is approx GENERATOR'S CEI and are classified, pational government to be economically present and future ti generation and select	- Machine c oils 0-8% s 0-15% 100% structions and Addition F ACCIDENT Do not bre imate. RTIFICATION: I here backed, marked, and it regulations. Lity generator, I certify practicable and that I hreat to human health ct the best waste mar	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a program have selected the nand the environmenagement method t	e contents of this all respects in program in place to repracticable methent; OR, if I am a that is available to	consignment are oper condition for the volume od of treatment, small quantity go me and that it	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat	ewer or or. Volumental shipping naminternational all have determined birth minimizes mize my waste
16 Pri	Synthetic Tramp oil Water 72- Special Handling Ins In case 0 Waterway. Is approx GENERATOR'S CEI and are classified, reational government to be economically present and future to generation and selection and sel	- Machine c oils 0-8% s 0-15% 100% structions and Addition F ACCIDENT Do not bre imate. RTIFICATION: I here backed, marked, and it regulations. Lity generator, I certify practicable and that I hreat to human health ct the best waste mar	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a program have selected the nand the environmenagement method t	e contents of this all respects in program in place to repracticable methent; OR, if I am a that is available to	consignment are oper condition for the volume od of treatment, small quantity go me and that it	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat	ewer or or. Volumental and the minimizes mixed minimizes mixed month Day
16 Pri	Synthetic Tramp oil Water 72- Special Handling Ins In case 0 Waterway. Is approx GENERATOR'S CEI and are classified, pational government If I am a large quant to be economically present and future ti generation and select Transporter 1 Acknown	Machine companies of the companies of th	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog have selected the h and the environmen agement method t	e contents of this all respects in program in place to repracticable methent; OR, if I am a that is available to	consignment are oper condition for the volume od of treatment, small quantity go me and that it	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat	ewer or or. Volumental and the determinational and the determination and the determination of
16 Pri	Synthetic Tramp oil Water 72- D. Special Handling Ins In case 0 Waterway. Is approx GENERATOR'S CEI and are classified, proteinal government If I am a large quant to be economically present and future to generation and select Transporter 1 Acknownted/Typed Name Transporter 1 Acknownted/Typed Name Transporter 2 Acknownted/Typed Name	Machine companies of the companies of th	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog have selected the h and the environmen agement method t	e contents of this all respects in program in place to repracticable methent; OR, if I am a that is available to	consignment are oper condition for the volume od of treatment, small quantity go me and that it	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat	ewer or or. Volumental and the minimizes mixed minimizes mixed month Day
16 Pri	Synthetic Tramp oil Water 72- Special Handling Ins In case 0 Waterway. Is approx GENERATOR'S CEI and are classified, pational government If I am a large quant to be economically present and future ti generation and select Transporter 1 Acknown	Machine companies of the companies of th	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog have selected the h and the environmen agement method t	e contents of this all respects in program in place to repracticable methent; OR, if I am a that is available to	consignment arroper condition for aduce the volum od of treatment, small quantity go me and that I were	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat y proper licable degree to me with to mini	ewer or or. Volumental and the minimizes mixed minimizes mixed month Day
16 Pri	Synthetic Tramp oil Water 72- D. Special Handling Ins In case 0 Waterway. Is approx GENERATOR'S CEI and are classified, proteinal government If I am a large quant to be economically present and future to generation and select Transporter 1 Acknownted/Typed Name Transporter 1 Acknownted/Typed Name Transporter 2 Acknownted/Typed Name	Machine colors of the colors o	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog have selected the h and the environmen agement method t	e contents of this all respects in proparation of the practicable methods. Signate Signate Signate	consignment arroper condition for aduce the volum od of treatment, small quantity go me and that I were	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat y proper licable degree to me with to mini	ewer or or. Volumental and the second
16 Pri	Synthetic Tramp oil Water 72- Special Handling Ins In case 0 Waterway. Is approx GENERATOR'S CEI and are classified, proposent and future ti generation and select Transporter 1 Acknownted/Typed Name Transporter 2 Acknownted/Typed Name Transporter 2 Acknownted/Typed Name	Machine colors of the colors o	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog have selected the h and the environmen agement method t	e contents of this all respects in proparation of the practicable methods. Signate Signate Signate	consignment arroper condition for aduce the volum od of treatment, small quantity go me and that I were	e fully and ac or transport to e and toxicity storage, or o	Do n	Ot was	sh in gen	d. to serat y proper licable degree to me with to mini	ewer or or. Volumental and the second
16 Pri 17. Prii 19.	Synthetic Tramp oil Water 72- Special Handling Ins In case 0 Waterway. Is approx GENERATOR'S CEI and are classified, pational government If I am a large quant to be economically present and future to generation and selection	Machine coils 0-8% to 15% 100% tructions and Addition of ACCIDENT Do not breat imate. RTIFICATION: I here backed, marked, and it regulations. It generator, I certify practicable and that I hreat to human health to the best waste marked to the best waste	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog have selected the and the environmenagement method to of Materials	e contents of this call respects in program in place to repracticable ment; OR, if I am a that is available to Signatu	consignment are oper condition for aduce the volum od of treatment, small quantity go me and that I dure	e fully and acor transport to e and toxicity storage, or enerator, I hocan afford.	Do n ret	ot was urn to described ay according e generate currently as a good fa	above bing to append to the vailable tith effort	d. to serat y proper licable degree to me with to mini	ewer or or. Voluments of the second s
16 16 16 17 17 17 19.	Synthetic Tramp oil Water 72- Special Handling Ins In case 0 Waterway. Is approx GENERATOR'S CEI and are classified, proposent and future ti generation and select Transporter 1 Acknownted/Typed Name Transporter 2 Acknownted/Typed Name Transporter 2 Acknownted/Typed Name	Machine coils 0-8% to 15% 100% tructions and Addition of ACCIDENT Do not breat imate. RTIFICATION: I here backed, marked, and it regulations. It generator, I certify practicable and that I hreat to human health to the best waste marked to the best waste	nal Information CONTACT Ch athe vapor by declare that the labeled, and are in that I have a prog have selected the and the environmenagement method to of Materials	e contents of this call respects in program in place to repracticable ment; OR, if I am a that is available to Signatu	consignment arroper condition for aduce the volum od of treatment, small quantity go me and that I were	e fully and acor transport to e and toxicity storage, or enerator, I hocan afford.	Do n ret	ot was urn to described ay according e generate currently as a good fa	above bing to append to the vailable tith effort	d. to serat y proper licable degree to me wh	ewer or or. Voluments of the second s

MOORPORATED

(213) 206-3137

WORK ORDER 5610

FED. TAX NO. XR 96 27 69 WASTE HAULED NO.

3650 E. 26th STREET LOS ANGELES, CA 90023

SHIPPER	19503 SO. 1	4000	THE LAM	T	*	
				D	ATE:	JAMUARY 31, 1991
	TORRANCE, C			Р	O. NUMBER	848 25651-C
BILLING ADDRESS _	MCDOMMETT I	CHELAS	COMP.	A	ELEASE NO.	
			02/P.O. BOX	2731 C	ONTACT	KIRK WARD
	LONG BEACH,	CALIF	90801	Р	HONE NO	(213) 783-5852
IOB ADDRESS	HCDOWNELL E	COUGLAS	CORP.			91-01-076
	19503 SO. N	COMMIND	IE AVE.			KIRK WARD
	TORRANCE, C	CALIF.				(213) 783-5852
ORIGIN	TORRANCE		-	0	ESTIMATION	LOS ANGELES
COMMODITY				U	ANISSOTNO	3747//
	PROVIDE 5	5000 GA	LLON VACUUM			e solution from
VORK PERFORMED			· · · · · · · · · · · · · · · · · · ·			ND DISPOSAL.
NO. LOADS	PRIVA	TE PROF	PERTY	DI	SPOSAL SITE	
NO. LOADS	PRIVA	TE PROF	PERTY	DI	SPOSAL SITE	
NO. LOADS RUCK NOSTART	PRIVA	TE PROF R NO TOP	PERTY	DI	SPOSAL SITE	
NO. LOADS RUCK NOSTART	PRIVA	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE	
NO. LOADS RUCK NO START OPERATION	PRIVATION TO COLUMN TO CO	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE Y 6000000000000000000000000000000000000	CHARGES
NO. LOADS RUCK NO START OPERATION	PRIVATION TOTAL CASE LOCATION	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE Y	CHARGES FEE
NO. LOADS	PRIVATION TO COLUMN TO CO	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE Y SOURS DISPOSAL	CHARGES FEE
NO. LOADS RUCK NO START OPERATION The let	PRIVATION TOTAL CASE LOCATION	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE Y DSS HOURS TRUCKING DISPOSAL WASH OUT DISPOSAL CHARGE SURCHAR	CHARGES FEE T CARRYING
NO. LOADS RUCK NO START OPERATION The let	PRIVATION TOTAL CASE LOCATION	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE Y OSS HOURS TRUCKING DISPOSAL WASH OUT DISPOSAL CHARGE	CHARGES FEE T CARRYING
OPERATION TRANSI DAL TICANI	PRIVATION TOTAL CASE LOCATION	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE Y OSS HOURS TRUCKING DISPOSAL WASH OUT DISPOSAL CHARGE SURCHAR OTHER	CHARGES FEE T CARRYING GE
NO. LOADS RUCK NO START OPERATION The let	PRIVATION TOTAL CASE LOCATION	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE Y DSS HOURS TRUCKING DISPOSAL WASH OUT DISPOSAL CHARGE SURCHAR	CHARGES FEE T CARRYING GE
NO. LOADS RUCK NO START OPERATION The let	PRIVATION TOTAL CASE LOCATION	TE PROF	PERTY	DI:CAPACIT	TRUCKING DISPOSAL WASH OUT DISPOSAL CHARGE SURCHAR OTHER	CHARGES FEE T CARRYING GE
NO. LOADS	PRIVATION TOTAL CASE LOCATION	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE Y OSS HOURS TRUCKING DISPOSAL WASH OUT DISPOSAL CHARGE SURCHAR OTHER	CHARGES FEE T CARRYING GE
NO. LOADS	PRIVATION TOTAL CASE LOCATION	TE PROF	PERTY	DI:CAPACIT	SPOSAL SITE Y DSS HOURS TRUCKING DISPOSAL WASH OUT DISPOSAL CHARGE SURCHAR OTHER TOTAL CH	CHARGES FEE T CARRYING GE
NO. LOADS RUCK NO START OPERATION The let	PRIVATION TOTAL CASE LOCATION	TE PROF	PERTY	DI:CAPACIT	DSS HOURS TRUCKING DISPOSAL WASH OUT DISPOSAL CHARGE SURCHAR OTHER TOTAL CH	CHARGES FEE T CARRYING GE